



05 January 2017

NIT No.: IITJ/SPS/RC/FUR/2016-2017/33

Corrigendum

1. Following amendments are made in the above captioned tender:

S. No.	For	To be read as
A.	At page no.2 and 5 of the tender document	
	<p>Page no.2: The tenderer shall be required to submit the Earnest Money Deposit (EMD) for an amount of Rs.16,00,000/- (Rupees Sixteen Lac only) and Tender Fee for an amount of Rs.1,000/- (Rupees One Thousand only) by way of demand drafts only. The demand drafts shall be drawn in favour of “Director, IIT Jodhpur” payable at Jodhpur. The demand drafts for Earnest Money Deposit & Tender Fee must be enclosed in the envelope containing the technical bid.</p> <p>Page no.5: EMD and Tender Fee (if applicable): The tenderer shall be required to submit the Earnest Money Deposit (EMD) for an amount of Rs.16,00,000/- (Rupees Sixteen Lac only) and Tender Fee for an amount of Rs.1,000/- (Rupees One Thousand only) by way of demand drafts only. The demand drafts shall be drawn in favour of “Director, IIT Jodhpur” payable at Jodhpur. The demand drafts for Earnest Money Deposit & Tender Fee must be enclosed in the envelope containing the technical bid. The Technical Bid without EMD and Tender Fee would be considered as UNRESPONSIVE and will not be accepted.</p>	<p>Page no.2: The tenderer shall be required to submit the Earnest Money Deposit (EMD) for an amount of Rs.16,00,000/- (Rupees Sixteen Lac only) and Tender Fee for an amount of Rs.1,000/- (Rupees One Thousand only) by way of Demand Drafts/FDR/Bank Guarantee only, and shall be drawn in favour of “Director, IIT Jodhpur” payable at Jodhpur. These must be enclosed in the envelope containing the technical bid.</p> <p>Page no.5: EMD and Tender Fee (if applicable): The tenderer shall be required to submit the Earnest Money Deposit (EMD) for an amount of Rs.16,00,000/- (Rupees Sixteen Lac only) and Tender Fee for an amount of Rs.1,000/- (Rupees One Thousand only) by way of Demand Drafts/FDR/Bank Guarantee only, and shall be drawn in favour of “Director, IIT Jodhpur” payable at Jodhpur. These must be enclosed in the envelope containing the Technical Bid. The Technical Bid without EMD and Tender Fee would be considered as UNRESPONSIVE and will not be accepted.</p>
B.	At page no.4, Point 1	
	<p>The bidder should have entered into Annual Rate Contract (ARC) for the supply of complete range of office</p>	<p>The bidder should have entered into Annual Rate Contract (ARC) for the supply of complete range of either of the furniture items for Office</p>

	furniture items with at least three (3) Government Departments/Educational Institute/Universities/ PSUs during last three years. Copies of the Annual Rate Contract issued by the clients must be attached.	furniture / Modular furniture / Laboratory furniture / Hostel furniture / Seating products / Health care furniture for Institute's Hospital / Furnishing & fixtures / Classroom furniture etc. with at least three (3) Government Departments/Educational Institute/Universities/ PSUs during last three years. Copies of the Annual Rate Contract issued by the clients must be attached.
C.	At page no.4, Point 10	
	The company must have a complete range of furniture items for such as: office furniture, Modular furniture, laboratory furniture, hostel furniture, seating products, health care furniture for Institute's Hospital, furnishing & fixtures and classroom furniture etc.	The company must have a complete range of either of the furniture items for Office furniture / Modular furniture / Laboratory furniture / Hostel furniture / Seating products / Health care furniture for Institute's Hospital / Furnishing & fixtures / Classroom furniture etc.
D.	At page no.5, Point 4	
	Refund of EMD: The EMD will be returned to unsuccessful Tenderer only after the Tender is finalized. In case of successful Tenderer, it will be retained till the warranty period as Performance Security.	Refund of EMD: The EMD will be returned to unsuccessful Tenderer only after the Tender is finalized. In case of successful Tenderer, it will be retained till the period of Rate Contract (extendable upto 3 years) as Performance Security.
E.	At page no.7, Point 22	
	Installation & Demonstration In case of any mis-happening/damage to supplies during the carriage of supplies from the origin of furniture to the installation site, the supplier has to replace it with new supplies immediately at his own cost & risk. Supplier will settle his claim with the insurance company as per his convenience. Institute will not be liable to any type of losses in any form.	Installation & Demonstration In case of any mis-happening/damage to supplies during the carriage of supplies from the origin of furniture to the installation site, the supplier has to replace it with new supplies immediately at his own cost & risk. Supplier will settle his claim with the insurance company as per his convenience. Institute will not be liable to any type of losses in any form. And while installation of furniture, if any damage is done to the Institute property, the same shall be repaired by the vendor, free of cost in the stipulated time as may be given by the Institute. However, if the damage is not repaired in the stipulated time, the same shall be done by the Institute at the risk and cost of the vendor.
F.	At page no.8, Point 30	
	Payment: Test certificate from the manufacturer to be enclosed with every invoice. For Indigenous supplies, 100% payment shall be made by IIT Jodhpur against delivery, inspection, successful installation, commissioning and acceptance of the furniture at IIT Jodhpur in good condition and to the entire satisfaction of IIT Jodhpur.	Payment and Performance Bank Guarantee: Test certificate from the manufacturer to be enclosed with every invoice. For Indigenous supplies, 75% payment shall be made by IIT Jodhpur against delivery and acceptance, and 25% payment against successful installation, commissioning, acceptance of the furniture at IIT Jodhpur in good condition and to the entire satisfaction of IIT Jodhpur, and submission of Performance Bank Guarantee which will be in the form of irrevocable

		bank guarantee issued by any Nationalised/Scheduled Bank / or Fixed Deposit Receipt, for an amount equal to the 10% of order value and it will be kept valid for a period of 60 days beyond the date of completion of warranty period. Warranty Period will be commenced from the date of the installation of the supplied item.
G.	At page no.10, Point 38	
	Periodic Review: The RC committee of IIT Jodhpur will perform periodic review of this Rate Contract. Feedback of the faculty members will be obtained periodically. The extension of the Rate Contract between IIT Jodhpur and the RC vendor will be solely dependent upon the performance of the RC supplier.	Periodic Review: The Committee constituted by the Institute will perform periodic review of this Rate Contract (RC). The RC can be extended for a maximum period of 3 years. The extension will be solely dependent upon the performance of the supplier.
H.	At page no.12, Point 10 under Point 45	
	Firm should have complete range of furniture items, Tables, Chairs, Storages, Modular Furniture, Lab furniture, Hospital furniture, Public seating	Firm should have complete range of either of the furniture items for Office furniture / Modular furniture / Laboratory furniture / Hostel furniture / Seating products / Health care furniture for Institute's Hospital / Furnishing & fixtures / Classroom furniture etc.
I.	At page no.13, Point 11	
	We offer complete range of furniture items for as per the need of an academic institute such as: office furniture, modular furniture, laboratory furniture, hostel furniture, seating products, health care furniture for the Institute's Hospital, furnishing & fixtures and classroom furniture etc.	We offer complete range of either of the furniture items for Office furniture / Modular furniture / Laboratory furniture / Hostel furniture / Seating products / Health care furniture for Institute's Hospital / Furnishing & fixtures / Classroom furniture etc. as per the need of an academic institute.
J.	At page no.17, Specifications of Furniture, F1.1	
	Table Top: - The table top should be Post-laminated with membrane finish for better abrasion and scratch resistance. The Table top should be made of MDF Board with 1mm top membrane and 2mm bottom laminate with reverse chamfering. The overall thickness of the Table top should be 48mm. All exposed edges should have 1mm membrane finish. It should have a dual tone colour with the base colour being black and the top colour to be Walnut Bronze/ Acacia Exodus / Black Cherry. Modesty panel: - The modesty should be made of MDF with membrane finish for better abrasion and scratch resistance. The Modesty should be made of 18mm MDF Board with 1mm top membrane and 1mm bottom laminate. All exposed edges should have membrane finish for elegant look. The colour of the modesty should be matched to the table top colour.	Table Top: - The table top should be Post-laminated with membrane finish for abrasion and scratch resistance. The Table top should be made of MDF Board with 0.8 to 1 mm top membrane and 2mm bottom laminate with reverse chamfering. The overall thickness of the Table top should be 48mm. All exposed edges should have 1mm membrane finish. It should have a dual tone colour with the base colour being black and the top colour to be Walnut Bronze/ Acacia Exodus / Black Cherry. Modesty panel: - The modesty should be made of MDF with membrane finish for better abrasion and scratch resistance. The Modesty should be made of 18mm MDF Board with 0.8 to 1 mm top membrane and 1mm bottom laminate. All exposed edges should have membrane finish for elegant look. The colour of the modesty should be matched to the table top colour. Understructure:- The understructure should be made up of MDF board with

	<p>Understructure:- The understructure should be made up of MDF board with membrane finish and should be black in colour. All exposed edges should have membrane finish of 1 mm thick. The understructure should have wire management properties and can be carried concealed wires within it. Wire Management :- The understructure should have the capability of carrying wires within it. The main table should have an access flap arrangement for easy access of switches and sockets for connecting the gadgets. The access flap cover should be made of Aluminum extrusion and powder coated upto 50-60 microns</p>	<p>membrane finish and should be black in colour. All exposed edges should have membrane finish of 0.8 to 1 mm thick. The understructure should have wire management properties and can be carried concealed wires within it. Wire Management:- The understructure should have the capability of carrying wires within it. The main table should have an access flap arrangement for easy access of switches and sockets for connecting the gadgets. The access flap cover should be made of Aluminum extrusion and powder coated upto 50-60 microns</p>
K.	At page no.17, Specifications of Furniture, F1.1.2	
	2250 W X 900 DX 740 H MM	2400 W X 900 DX 740 H MM
L.	At page no.17, Specifications of Furniture, F1.1.3	
	2100 W x 900 D X 740 H IN MM	2100 W x 900 D X 740 H IN MM with modesty and integrated side table
M.	At page no.17, Specifications of Furniture, F1.1.4	
	2250 W X 900 DX 740 H MM	2400 W x 900 D X 740 H IN MM with modesty and integrated side table
N.	At page no.17, Specifications of Furniture, F1.2	
	<p>Side Table:- Table Top:- The table top should be made of MDF with Membrane finish for better abrasion and scratch resistance. The Table top should be made of 48mm MDF Board with 1mm membrane finish and 1mm bottom laminate. All exposed edges should have membrane finish. The Table top colour should be matched to the main table. Modesty panel: - The modesty should be made of MDF with membrane finish for better abrasion and scratch resistance. The Modesty should be made of 18mm MDF Board with 1mm top membrane finish and 1mm bottom laminate. All exposed edges should have membrane finish. The colour of the modesty should be matched to the table top colour. Understructure:- The understructure/gable ends should be made of 48mm thick MDF board and should be black in colour. All exposed edges should have membrane finish.</p>	<p>Side Table:- Table Top: - The table top should be made of MDF with Membrane finish for better abrasion and scratch resistance. The Table top should be made of 48mm MDF Board with 0.8 to 1 mm membrane finish and 1mm bottom laminate. All exposed edges should have membrane finish. The Table top colour should be matched to the main table. Modesty panel: - The modesty should be made of MDF with membrane finish for better abrasion and scratch resistance. The Modesty should be made of 18mm MDF Board with 0.8 to 1mm top membrane finish and 1mm bottom laminate. All exposed edges should have membrane finish. The colour of the modesty should be matched to the table top colour. Understructure :- The understructure/gable ends should be made of 48mm thick MDF board and should be black in colour. All exposed edges should have membrane finish.</p>
O.	At page no.18, Specifications of Furniture, F2.1.4	
	2900 W X 900 DX 740 H MM	2900 W X 900 DX 740 H MM with circular extension top
P.	At page no.27, Specifications of Furniture, F11.3.1	
	2000 W X 470 DX 850 H MM	1200 Width mm x 600 Depth mm x 730 Height mm

Q.	At page no.63, Specifications of Furniture, Work Station	
	Work Station	Workstation: Size: 1200 W x 600 D X 740/1200 H IN MM Linear 1350 W X 600 DX 740/1200 H MM Linear 1500 W x 750 D X 740/1200 H IN MM Linear 1500 W X 1500 DX 740/1200 H MM 1800 W X 1500 DX 740/1200 H MM Curvy Linear1800 W X 900 DX 740/1200 H MM Linear 1500 W X 1500 DX 740/1200 H MM Curve Linear
R.	Addition of the Clause as no.46 in Terms and Conditions details	
	The firm(s) who are registered with the National Small Industries Corporation (NSIC) / or Small Scale Industries (SSI) for the subjected goods are exempted to furnishing the EMD and tender fee. Self-attested photocopy of the valid registration certificate must be enclosed with the technical bid.	

2. Other Terms & Conditions will remain same.
