

TENDER

FOR

TENTAGE SERVICES AT IIT JODHPUR KARWAR ON 20 TO 23 FEB 2020
for IGNUS` 20

NIT No & Date	-	IITJ/Admin(Misc.)/19-20/49 dated 14 February 2020
Tender Fee	-	Rs 500/-
Last Date & Time of Submission of Tender	-	18 Feb 2020 up to 1500 Hrs
Tender Opening Date & Time	-	18 Feb 2020 at 1530 Hrs



॥ त्वं ज्ञानमयो विज्ञानमयोऽसि ॥

Indian Institute of Technology Jodhpur NH 62 Nagaur Road
Karwar 342037

Tel : +91 291 2449011

Email: sps@iitj.ac.in

Website:

www.iitj.ac.in

TENDER
FOR
TENTAGE SERVICES AT IIT JODHPUR KARWAR ON 20 TO 23 FEB 2020 for
IGNUS` 20

DISCLAIER

The information contained in this Tender document or subsequently provided to Tenderers, whether in document or verbal or any other form by or on behalf of Indian Institute of Technology Jodhpur (IITJ) by any of its employees or advisors, is provided to Tenderers on the terms and conditions set out in this Tender document and such other terms and conditions subject to which such information is provided.

The purpose of this Tender document is to provide interested parties with information that may be useful to them in eliciting their proposals pursuant to this Tender document. This Tender document may not be appropriate for all persons, and it is not possible for the Institute, its employees or advisors to consider the investment objectives, financial situation and particular needs of each party who reads or uses this Tender document.

This Tender document includes statements, which reflect various assumptions and assessments made by the Institute in relation to the Contract. Such assumptions, assessments and statements do not purport to contain all the information that each Tenderer may require.

The assumptions, assessments, statements and information contained in this Tender document, may not be complete, accurate, adequate or correct. Each Tenderer should, therefore, conduct his/her own investigations and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments, statements and information contained in this Tender document and obtain independent advice from appropriate sources.

Information provided in this document to the Tenderer(s) is on a wide range of matters, some of which depends upon interpretation of law. The information given is not an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Institute accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

Institute, its employees and advisors make no representation or warranty and shall have no liability to any person, including any Applicant or Tenderer under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Tender document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Tender document and any assessment, assumption, statement or information contained therein or deemed to form part of this Tender document or arising in any way in this Tender Stage.

Signature of the Tenderer
Seal & Signature of the Tenderer
Page 2 of 19

1. Scope: There is a requirement to provide Tentage, Stage, Light and Sound System (as per details) during the conduct of “IGNUS`20 Festival” from 21 to 24 Feb 2020 at IIT Jodhpur, Karwar, Jodhpur.

2. Tasks: Basic requirements are Tentage, Furniture items, Light & Sound and special arrangement for both Pronite (21th Feb 2020 & 24th Feb. 2020).

3. Tentage Following specific requirements are anticipated for Tentage and stage arrangements:

(a) Stage with matting (size 56*36*6 ft) with ladder steps with masking (3 sides of stage) for four days

(b) Console riser 4 days with grey carpet and black masking 12* 8*1.5 ft

(c) Sound and light console riser (with overhead covering) 16* 8*1.5 ft

(d) 3 Green rooms 10*10 ft

(e) Ramp T shape 14*6 ft

(f) Chairs cushioned 300

(g) Chairs plastic 300

(h) 15 Sofa (3 seater)

(i) Glass tables 5

(j) 50 Tables(2*5 ft) with tablecloths

(k) Green coloured ground spread (matting) 150*325 ft

(l) green coloured ground spread (net matting) in two grounds(270*90 and 170*100 ft)

(m) Open mic stage platform (15*8 ft)

(n) 3-d metal Arch gate with black covering (16*12 ft)

(o) tunnel/ gallery (50*10*10ft) with black cloth

(p) 25 Food stalls (10*10 ft) with 4 electric points, 1 light and 3 tables with tablecloths in each stall

(q) 950 ft bamboo barricading with white cloth of the height 10 ft

(r) 1700 ft bamboo barricading with white cloth of the size 5 ft

(s) 2 Gen sets 125 KV

- (t) 30 halogen lights with poles
- (u) 5 speaker setup with 2 mics each and 2 mic stands each
- (v) Extensions - 75 mtr
- (w) 100 Par lights 12 mtr
- (x) DJ LED lights 20
- (y) 8 Plastic Round tables for food court

Note: The bid should not exceed Rs 4,50,000/- in any case.

cult area, all stalls, all roads, man gate and front gate) (4 days).

- (a) JBL Speakers (2 days)
- (b) 125 KV and 65 KV Generator sets with Diesel and Operators (4 days).
- (c) Projector Screen – 4 days (23rd to 26th Feb. 2017).
- (d) Focus light – 1 (4 days).

4. Tech Rider for Pronite on 21 Feb. 2020: Details attached as Appendix C.

5. Tech Rider for Pronite on 24 Feb. 2020: Details attached as Appendix D.

6. Terms & Conditions:

- (a) Good quality and presentable Tentage be avoided. Tent and dirty items will not be accepted.
- (b) Rates are quoted inclusive of all items all taxes.
- (c) Other time to improve service as may be notified on the day/during the event by the Institute officials will be binding on Caterer.
- (d) Misc. unforeseen requirement may arise at last moment and same will be materialized.
- (e) In case Institute reserve the right to cancel the Tender partial or wholly without any reason.

7. Preparation of Bids & Envelopes:

- a) **Envelope 'X'**Superscribed “Technical bids for Tentage arrangements on 21 to 24 Feb 2020” Addressed to Director, IIT Jodhpur.
- b) **Envelope 'Y'**Superscribed “Financial bids for Tentage arrangements on on 21 to 24 Feb 2020” Addressed to Director, IIT Jodhpur.
- c) **Envelope 'Z'**Superscribed “Tentage arrangements on on 21 to 24 Feb 2020” Addressed to Director, IIT Jodhpur. This envelope must contain envelopes X and Y.

8. Copy of Technical Bid documents to be enclosed in **Envelope 'X'** are attached as **Appendix 'A'**.

9. Financial Bid– Refer Appendix 'B'.

10. Copy of Financial Bid documents to be enclosed in **Envelope 'Y'** are attached as **Appendix 'B'**.

11. Penalty. In case of any shortage in quality, quantity of any resource in service, Director, IITJ is empowered to impose penalty as deemed fit.

12. Arbitration

- a) In the event of any question, dispute/difference arising under the agreement or in connection here with (except as to matters the decision of which is specially provided under this agreement) the same shall be referred for Arbitration to Director IIT Jodhpur or his nominee.
- b) The award of the Arbitrator shall be final and binding on the parties. In the event of such Arbitrator to whom the matter is originally referred is being transferred or vacating his office or resigning or refusing to work or neglecting his work or being unable to act for any reason whatsoever, Director IIT Jodhpur shall appoint another person to act as Arbitrator in place of the out-going Arbitrator in accordance with the terms of this agreement. The person so appointed shall be titled to proceed with the reference from the stage at which it was left by his predecessor.
- c) The Arbitrator may give interim award(s) and/or directions, as may be required.
- d) Subject to the aforesaid provisions, the Arbitration & Conciliation Act, 1996 and the rules made here under and any modification thereof from time to time being in force shall be deemed to apply to the Arbitration proceedings under this clause.

TENTAGE ARRANGEMENTS FOR IGNUS-
20 AT IIT JODHPUR: 21 – 24 FEB 2020

TECHNICAL BIDS

The Tenderers shall submit self-attested copy of following documents as part of technical bid **in Envelope 'X'**:-

(a) Owner's TIN No & PAN No

(b) Experience Certificate/s for having served the Govt. Organization, PSUs and Govt. Institutes showing length of services (should be more than 5 years). Performance certificate from previous employer may also be attached. Also, the annual turn-over be more than Rs. **10,00,000/- (Rupees Ten Lakh only)** each during the financial year 2016-17, 2017-18 & 2018-19.

(f) **Bank Drafts.** Following bank drafts drawn in favour of Director, IIT Jodhpur shall be enclosed in Envelope X as part of Technical Bids :-

(i) Tender Fee Rs 500/- (Non-refundable)

(ii) Earnest Money Deposit (EMD) of Rs 10,000 (Ten Thousand)/ - each for Tentage and Light plus Sound System. And Vendor qualify for the tasks shall be exclusive EMD of Rs. 20,000 (Twenty Thousand) (Refundable).

(g) Copy of Tender Documents duly stamped, signed and agreed/accepted by the Owner/Proprietor.

TENTAGE ARRANGEMENTS FOR IGNUS-
20 AT IIT JODHPUR: 21 – 24 FEB
2020

Appendix ‘B’

Financial Bid

S No	Items/Contents	Amount (Rs)	Remarks
(a)	Tentage total amount including Taxes		
(b)	Light Plus Sound including Taxes		
Grand Total			

Note:-

- (i) Rates quoted should be inclusive of all Taxes. No other charges will be entertained. The Vendor coordinator(s) shall be present during work execution too.
- (ii) Vendor may participate for any one or both the requirements. Two separate L-1 [(a) &(b)] may also be considered.

Sealed quotations should reach the undersigned by 18/02/2020 (**upto 1500 hrs**). However, the Institute reserves right to accept / reject any quotation without assigning any reason thereof.

**TENTAGE ARRANGEMENTS FOR IGNUS-
20 AT IIT JODHPUR: 21 – 24 FEB
2020**

Tech Rider for Pronite on 23 Feb 2020

AUDIO SYNOPSIS

A 4 way stereo FOH speaker system must be provided with sufficient power to evenly cover the entire venue for this type of event.

1. Must be able to reproduce 115 db SPL at FOH position (a weighted/ slow)
2. The FOH speaker system must be rigged to fly.
3. FOH must be slightly at the center of P.A. Not more than 80feet from the center of the stage.
4. Venues that have mixing desks installed on or under the balcony, we request another mixing desk to be placed in the center of the audience.
5. All processing must be made available to the FOH engineer for further processing if needed.
6. We require minimum of 3 hours of setup and sound check time. During this no other PA system should be on in the vicinity and without any interruptions.

PA & Monitoring System

A) SPEAKER SYSTEM: (In order or preference)

1. L ACOUSTICS VDOSC , K1 , K2
2. D & B
3. Martin Audio W8L
4. ADAMSON Y18/Y10
5. JBL VERTEC /VT4889

B) FOH CONSOLE: (Preference is for Digital Consoles)

1. Digi design Venue
2. Yamaha M7CL
3. Digi design profile

*** Please provide adequate console barricading and a riser minimum 2 ft ***

C) FRONT FILL:

1. JBL VT4887
2. D&B/EQUIVLANT
3. DV DOSC

D) FOH OUTBOARD PROCESSING

1. **(SYSTEM DRIVE)** DOLBY LAKE 4D12P, XTA 448, DBX 4800, MEYER GALILEO
2. **(12)** STEREO 1/3 OCTAVE Equalizer: (Klark-Teknik DN-360, BSS FCS 960)
3. **(2)** EFX's: TC D-TWO OR TC ELECTORNICS 2000M **(2)** SPX 990 OR PCM 91
4. **(14)** COMPRESSOR LIMITORS INSETABLE DBX OR DRAWMER
5. **(16)** Gates INSERTABLE Drawer Gates or DBX

E) MONITOR SYSTEM

1. **MONITOR CONSOLE:** YAMAHA M7CL - Monitor position to be at front left or right of stage with clear view
2. **WEDGES (10)** STAGE MONTIORS: Martin LE2100, Clair 12 AM, JBL VRX 915m (ALL MATCHED)
3. **CUE WEDGE (1):** 1 Cue Monitor, same as above, should be provided at monitor mix position
4. **SIDE FILLS (4 SETS – 4 tops/4 subs per side)**
 - a) JBL SRX 725/ 728
 - b) RCF –V45
 - c) OR EQUAL 1200 WATT AND ABOVE
 - d) IF INDOORS 2 SETS (2 TOPS/ 2 SUBS) WILL WORK.
5. **IEM: - 4 IN EAR MONITORS SENNHIESER**
6. **C D PLAYER PIONEER (NEXUS 2000)**

Input List

CH. NO.	INSTRUMENTS	Source	Microphone/ DI	Insert	Stand s
1	DHOL RIGHT	MIC	58 SHURE		BOO M STA ND
2	DHOL LEFT	MIC	57 SHURE		BOOM STAND
3	D	KICK	AUDIX/SIEN HISER	COMP/GA TE	CLIP O N/ STAND
4	R	SNARE	AUDIX/SIEN HISER	COMP/GA TE	CLIP O N/ STAND
5	U	HI HATS	AUDIX/SIEN HISER	COMP/GA TE	CLIP O N/ STAND
6	M	TOM-1	AUDIX/SIEN HISER	COMP/GA TE	CLIP O N/ STAND
7	S	TOM-2	AUDIX/SIEN HISER	COMP/GA TE	CLIP O N/ STAND
8		FLOW TOM	AUDIX/SIEN HISER	COMP/GA TE	CLIP O N/ STAND
9		OVER HEADS	CONDENSER MIC		BOO M STA

					ND
10	OVER HEADS	OVERHEA DS	CONDENSER MIC		BOO M STA ND
11	OCTOPAD		D I		
12	SAMPLER		D I		SIN GLE STA ND
13	SAMPLER		D I		
14	SAMPLER		D I		
15	SAMPLER		D I		
16	BASS GUITAR		D I		GUIT AR STA ND

17	KEY 1		D I		SIN GLE STA ND
18	DH OL		D I		
19	KE Y -2		D I		DOU BLE STAN D
20	KEY -3		D I		DOU BLE STAN D
21	SPARE CH.				
22	LEAD VOCAL	PRONITE 1	G3 SIENHISER		BOO M STA ND
23	O	FEMALE VOX	G3 SIENHISER		BOO M STA ND
24	C	FEMALE VOX	G3 SIENHISER		BOO M STA ND
25	A	BACKIN G VOX	G3 SIENHISER		BOOM STAN D
26	L	BACK ING VOX	G3 SIENHISER		BOO M STA ND

27	ROTO HI		57 SHURE		BOOM STAND
28	ROTO LOW		58 SHURE		BOOM STAND
29	ROTO SPLASH		57 SHURE		BOOM STAND
30	OCTOPAD		DI		
31	TIMBALI HI		57 SHURE		BOOM STAND
32	TIMBALI LOW		58 SHURE		BOOM STAND

3 3	DHOLAK HI		57 SHUR E		BOOM STAND
3 4	DHOLAK LOW		58 SHUR E		BOOM STAND
3 5	CD PLAYER		DI		
3 6	CD PLAYER		DI		
3 7	EP JACK ON CONSOLE				
ST/RT 1		VOC AL REV ERB			
ST/RT 2		DELAY			
ST/RT 3					
ST/RT 4					

- **IF INDOOR 2 SETS (2 TOPS/ 2 SUBS) WILL WORK ONLY FOR SMALL STAGE**
- **STAGE SIZE FOR OUTDOOR EVENTS MINIMUM 40 FT LENGTH 30 FT WIDTH 5 FT HIEGHT**

Important:

- 1) The front of stage & other dangerous edges must be marked with a high visibility tape that contrasts with the stage's natural color e.g. black stage - white tape
- 2) All exposed cable runs on stage, where the artists may cross for stage access or during the performance, must be covered or secured with gaffers tape to reduce any trip hazard.
- 3) 4 side fills required only on big size stages more than Size 60 x 40 other than 2 top 2 subs are enough.
- 4) AUX 11 L R SUBS.
- 5) Front fill compulsory for all events.

Monitor Plot

KEYs:

Vocal Microphone

Mains 230V

Power Outlet 230V 50Hz

Aux 1

MONITOR 1 (Dhol)

Aux 2

4 (IF RAMP THEN 2 EXTRA)

Aux 3

MONITOR

Aux 4 key 1

1 KEY/ VOX

Aux 5 sampler

MONITOR

Aux 6 KEY 2

2
MONITOR SEMPLER

Aux 7 key 3

MONITOR DRUM

Aux 8

Aux 9

1 KEY 2
MONITOR

Aux 10

MONITOR 1 PERC.

Aux 11

BACK SIDEFILL 2

AUX 12

AUX 13

FRONT SIDE FILL 2

AUX 14

AUX 15

STAGE SUBS

AUX 16

P.A SUBS

EMI DRUM

PERC.

EMI VOX

REVERB

DELAY

Backline Requirements

SR. NO.	Instrument	Requirements
1.	Bass Guitar	<ul style="list-style-type: none"> • Ampeg SVT with 8 x 10 Cab OR HARTKE 4200 • Trace Elliot AH1000 4 x 10 Cab and 1 x 15 Sub OR • NO COMBO PLEASE • 2 x Guitar Stand • PLEASE HAVE A BACKUP BASS AMP ON SITE
2.	KEYBOARD	1 ROLAND KC550, KC 850 + 1 VOLUME PEDAL
3.	STANDS	3 SINGLE AND 1 DOUBLE KEYBOARD STAND AND 2 GUITAR STAND.
4.	KEYBOARD	KORG TRITON EXTREME, YAMAHA 2000/3000/2100/MOTIF X8 WITH VOLUME PEDAL COMPULSORY FOR ALL OVER WORLDS TOURS
5.	DRUMS	<p>F) 5 Piece DW, Tama Star Classic Maple, Yamaha Maple Custom or similar.</p> <p>G) 1 x Boom arm Cymbal Stands.</p> <p>H) Kick</p> <p>I) Hi Hat s</p> <p>J) 14 x 5" Snare</p> <p>K) 10", 12" Rack Toms & Floor Tom</p> <p>L) 2 x 16" Zildjian A or K Series Crash</p> <p>M) All Cymbal stands, hardware and pedals.</p> <p>N) 3 x pairs or 5A Drum sticks</p>
6.	PERCUSSION	<ul style="list-style-type: none"> • 2 Set of Lo and Hi Timbales With cowbell. 01 L P 01 STANDARD • All necessary stands for percussion.

Stage Lights Requirements

Following are the Lighting requirements:

1. All equipment's provided by the organizer must be in good condition.
2. All wiring through shall comply with most stringent of fire and safety codes.
3. All units to come with lamps, mounting, hardware, safety and color frame.
4. All equipment to include Manuel. 5. A frame ladder or a genie lift for focusing of overhead lights.

Kindly Note:

The lighting technician provided by the organizer should be skilled. Any changes in terms of lighting and vendor requirement should be routed via me Conventional Lighting.

Lighting requirement list:

1. 20 ETC source four Leko (Profile) 26Deg with Iris
2. 06 Par 64 with Gel frames)
3. 04 Haze machine with blowers (DF50)
4. 08 Molefays
5. 01 Avolite Operating Console

Automated lighting requirement List:

1. 24 Clay Packy Sharpy 15R
2. 12 DTS Nick 600 Wash RGBW
3. 60 LED Par 3 watt

TRUSSING:

1. Box Truss Size 64' X 48'
2. Truss Section – 68' Long

Preferred Cabinets:

L'Acoustics K Series **OR** JBL VTX **OR** Das Aero 50 **OR** EAW **OR** Nexo Geo Tseries

Preferred Subwoofers:

L'Acoustics K Series **OR** EAW **OR** EV MTL4 - Aura 218 O **OR** R Turbosound
780L 21" OR Nexo CD18 **House Consoles :**

Yamaha CL5 **OR** Yamaha M7CL

Digidesign SC48 **OR** Venue **OR** Profile

(

TENTAGE ARRANGEMENTS FOR IGNUS-
20 AT IIT JODHPUR: 21 – 24 FEB
2020

Appendix ‘D’

Tech Rider for Pronite on 23 Feb 2020

Monitor Overview:

PRONITE 2 will require 4 monitor wedges to be placed in front.

PLEASE PROVIDE 4 Pro Grade INEAR MONITORING SYSTEMS AS WELL AS MONITOR WEDGES AS DEPICTED IN THE STAGE PLOT FOR THE MUSICIANS

Line up of Musicians:

1. **Drum Kit** : 10 Microphone Drum Kit Set, 2 Monitor Wedges with a sub woofer, 1 Riser (L x B x H = 6’ x 8’ x 1’), Covered with a Thick Carpet.
 - 1 Bass drum (22”)
 - 3 Toms (8”, 10”, 12”)
 - 1 Floor tom (14”or16”)
 - 1 Snare drum · 5 cymbals (1 ride, 2 crashes, 1 splash and china in medium sizes · Stands including boom stands for all attachments including bass drum pedal, hi-hat stand and drum throne. ZILDJIAN K Series Cymbals ONLY

An 8 PIECE DRUMKIT SET (with accessories and stands) of professional quality such as a TAMA/PEARL or YAMAHA is to be provided by the sound vendor/organiser

2. **Bass Guitar** : 1 D.I. Box, 1 Bass Amplifier Hartke, Laney, GallienKrueger
3. **Keyboards (2)**: 4 D.I. Boxes, 1 Roland KC 500 Keyboard Amp or equivalent.
4. **Guitars- Please find attached detailed Guitar requirement.**

1. One Fender HOT ROD DEVILLE™ 410 III Electric Guitar Amp



OR

One Fender Twin Reverb Guitar Amp



2. One Acoustic Guitar Amp

Fishman Loudbox Mini 60-Watt Acoustic Amp



OR

Trace Elliot TA 200 4x5" 200 Watt Acoustic Guitar Amp



OR

Roland KC550



4. DI 1 with a link Cable to the Acoustic Amp.
5. 2 Nos Shure SM 57 Mike with a stands in front of the Guitar Amp/cabinet.
6. Guitar Cables 4 no's
7. 1 no High Performance Speaker Cable with 1/4" Male To 1/4" Male Phono Speaker Cable (2.08 mm) (Taurus stomp head to speaker cabinet) 6 feet long

8. Guitar Stands 2 no's (One Specially for Acoustic Guitar)
9. Power Extension Board with ground for at least for 3 sockets.
10. 1 Music Stand 11. Wedges as required.
11. 2 Sets of Stage Monitor Side fills, i.e. Front Side Fills, and Rear Side Fills with Bass Bins.

Please note that the sound system must be strategically placed so as to be evenly distributed for the entire audience area and 2 speakers must also be placed at the lip of the stage to act as center fills

STAGE POWER 240 V/ 13A power supply points are to be placed on stage. This circuit must be the same distribution as the house and monitor sound systems, and totally separate from lighting, video circuits.

TRACK LAYOUT

- 1—KICK DRUM outside 2—
SNARE TOP
- 3—SNARE BOTTOM
- 4—HI-HATS
- 5—TOM 1
- 6—TOM 2
- 7—FLOOR TOM
- 8—O/H L
- 9—O/H R
- 10—BASS GUITAR
- 11/12—GUITARS
- 13/14—KEYBOARD 1
- 15/16—KEYBOARD 2
- 17—Backing Vocals (bass) 18—
Backing Vocals (keys) 19—Backing
Vocals (gtrs) 20—Backing Vocals
(drums) 21/22—Laptop out (at
Console) 23—Standby microphone
- 24—**PRONITE 2'S MICROPHONE**
- 25—KICK DRUM inside
- 26—Acoustic Guitar